UGALCIO INTUS

Sensitive Plant Survey of BLM Lands along the Big Hole River and in the Whitehall Valley

Southwest Montana is an area of high plant species endemism, and many Montana Natural Heritage Program species of concern occur there. Furthermore, species that are candidates for listing as threatened or endangered by the U.S. Fish and Wildlife Service are known to occur in the area. These include Arabis fecunda and Penstemon lemhiensis. The former species occurs only on soils derived from calcareous parent material. Potential habitat for A. fecunda occurs on the periphery of the Tobacco Root and Highland ranges, where Mississippian limestone has been contacted by granitic intrusions. Potential habitat for many sensitive species occurs along the Big Hole River.

I conducted rare plant surveys on BLM lands in the Gold Hill and Silver Star areas on 1-2 July 1994. Although the Silver Star area appeared to have good habitat for A. fecunda, the species was not present. At both the Silver Star and Gold Hill sites I located populations of Astragalus platytropis. I observed serious infestations of leafy spurge (Euphorbia esula) in the Gold Hill area.

I conducted rare plant surveys on scattered tracts of BLM land along the Big Hole River between Divide and Jackson on 3-5 July 1994. I located one small population of Penstemon lemhiensis on the banks of the river across from Sawlog Creek, and I located a small population of Arabis fecunda at the mouth of Jerry Creek. In addition to these C2 species, I located five populations of Haplopappus macronema ssp. linearis and one population of Erigeron gracilis. Haplopappus macronema linearis seemed to be widespread in the Big Hole Valley between Dewey and Wisdom, and I imagine that many more populations exist in the area. Furthermore, the plant seems to be most common in areas that have moderate disturbance such as along roads or grazed pastures.

Although I found no rare plants on BLM lands on the east slopes of the Beaverhead Range west of Jackson, there are extensive wetlands in the area including Sphagnum fens. These communities are probably sensitive to livestock grazing. Vegetative composition should be documented and mapped to facilitate proper management.

Peter Lesica September 1994




Figure 1. Location of 1994 surveys roads driven

roads driven hiking surveys




Figure 2. Location of rare plant surveys

roads driven hiking surveys




Figure 3. Location of rare plant surveys roads driven

roads driven
hiking surveys

Scientific Name: ARABIS FECUNDA Common Name: SAPPHIRE ROCKCRESS

Global rank: G2 Forest Service status: SENSITIVE

State rank: S2 Federal Status: C2

Element occurrence code: PDBRA06290.007

Element occurrence type:

Survey site name: JERRY CREEK

EO rank: B

EO rank comments: LARGE POPULATION BUT HEAVY GRAZING.

County: SILVER BOW

USGS quadrangle: WISE RIVER

Township: Range: Section: TRS comments:

001N 010W 31 SW4 001N 011W 36 SE4 001N 011W 25 SE4SE4

Precision: S

First observation: 1988 Slope/aspect:
Last observation: 1994-07-03 Size (acres): 31

#### Location:

CA. 1.5 MILES EAST OF WISE RIVER, MT, ON HIGHWAY 43, NE ON JERRY CREEK ROAD 0.3 MILE; HILLSIDES AND OUTCROPS EAST OF ROAD.

# Element occurrence data:

1988: CA. 5,050 PLANTS IN 2 SOUTHERN SUBPOPULATIONS, FLOWERING AND FRUITING; THREATENED BY OVERGRAZING. 1994: CA. 500 PLANTS IN 2 NORTHERN SUBPOPULATIONS, MATURE FRUIT.

#### General site description:

CALC-SILICATE OUTCROPS & HILLSIDES IN DRY, OPEN SANDY SOILS, BENEATH JUNIPERUS SCOPULORUM AND PSEUDOTSUGA MENZIESII, WITH CERCOCARPUS LEDIFOLIUS, ERIGERON COMPOSITUS, AGROPYRON SPICATUM, ARTEMISIA FRIGIDA, HAPLOPAPPUS ACAULIS, PENSTEMON ARIDUS.

#### Land owner/manager:

BLM: BUTTE DISTRICT, HEADWATERS RESOURCE AREA STATE LAND - UNDESIGNATED

# Comments:

Information source: SCHASSBERGER, L. A. 1988. [FIELD SURVEY IN

SOUTHWESTERN MONTANA OF 1-3, 6-7 AND 13-15 JUNE

(ARABIS FECUNDA).]

Specimens: LESICA, P. (6356). 1994. MONTU.

SCHASSBERGER, L.A. (207). 1988. MONTU.

Scientific Name: ASTRAGALUS PLATYTROPIS Common Name: BROAD-KEELED MILKVETCH

Global rank: G5 Forest Service status: State rank: S2 Federal Status:

Element occurrence code: PDFAB0F6X0.012

Element occurrence type:

Survey site name: BONE BASIN CREEK

EO rank: C

EO rank comments: SMALL POPULATION WITH SOME LIVESTOCK GRAZING.

County: MADISON

USGS quadrangle: WHITEHALL

Township: Range: Section: TRS comments:

001N 004W 27 SW4

Precision: S

Survey date: 1994-07-01 Elevation: 4600 - 4660

First observation: 1994-07-01 Slope/aspect: LEVEL Last observation: 1994-07-01 Size (acres): 15

Location:

SITE IS 0.5 MILE EAST OF PARROT ROAD CA. 0.5 MILE SOUTH OF PARROT CASTLE FISHING ACCESS SITE.

Element occurrence data:

100-200 PLANTS, IN FRUIT.

General site description:

DRY, OPEN RESIDUAL MOUNTIAN CREST. LIMESTONE PARENT MATERIAL, SANDY SOIL. ASSOCIATED SPECIES: AGROPYRON SPICATUM, STIPA COMATA, ORYZOPSIS HYMENOIDES, PARONYCHIA SESSILIFLORA, HAPLOPAPPUS ACAULIS, ERIOGONUM MANCUM.

Land owner/manager:

PRIVATELY OWNED LAND (INDIVIDUAL OR CORPORATE)

Comments:

LIGHT LIVESTOCK GRAZING AND WEEDS IN AREA NOTED.

Information source: LESICA, PETER. DIVISION OF BIOLOGICAL SCIENCES,

UNIVERSITY OF MONTANA, MISSOULA, MT 59812.

Specimens: LESICA, P. (6342). 1994. MONTU.

Scientific Name: ASTRAGALUS PLATYTROPIS Common Name: BROAD-KEELED MILKVETCH

Global rank: G5 Forest Service status: State rank: S2 Federal Status:

Element occurrence code: PDFAB0F6X0.013

Element occurrence type:

Survey site name: TOM BENTON GULCH

EO rank: B

EO rank comments: MODERATELY-SIZED POPULATION, DISTURBED BY MINING.

County: MADISON

USGS quadrangle: SILVER STAR

Township: Range: Section: TRS comments:

002S 006W 10 NE4; 2 SW4; 3 NE4; 15 NE4; 14 NW4

Precision: S

Survey date: 1994-07-02 Elevation: 4800 - 5600 First observation: 1994-07-02 Slope/aspect: 30% / NORTH

Last observation: 1994-07-02 Size (acres): 1000

### Location:

FROM SOUTH END OF SILVER STAR, TAKE MAIN ROAD TO WEST CA. 1.6 MILES. SUBPOPULATIONS LIE ALONG GREEN CAMPBELL MINE ROAD, ALONG TRAIL ON SOUTH RIDGE OF BLACKMAN GULCH, AND ALONG 4-WHEEL DRIVE TRAIL BETWEEN THE TWO.

### Element occurrence data:

100-500 PLANTS IN 6 OR MORE SUBPOPULATIONS, MATURE FRUIT.

## General site description:

DRY, OPEN RESIDUAL MOUNTAIN SLOPES. LIMESTONE PARENT MATERIAL, SANDY SOIL. ASSOCIATED SPECIES: AGROPYRON SPICATUM, KOELERIA CRISTATA, CERCOCARPUS LEDIFOLIUS, CAREX FILIFOLIA, ARTEMISIA FRIGIDA, HAPLOPAPPUS ACAULIS, ERIOGONUM MANCUM.

## Land owner/manager:

BLM: BUTTE DISTRICT, DILLON RESOURCE AREA

### Comments:

DISTURBANCE BY MINING AND ROADS.

Information source: LESICA, PETER. DIVISION OF BIOLOGICAL SCIENCES,

UNIVERSITY OF MONTANA, MISSOULA, MT 59812.

Scientific Name: HAPLOPAPPUS MACRONEMA VAR LINEARIS

Common Name: LINEAR-LEAVED DISCOID GOLDENWEED

Global rank: G4T?

Forest Service status:

State rank: S2

Federal Status:

Element occurrence code: PDAST4F0U3.006

Element occurrence type:

Survey site name: PATTON GULCH

EO rank: B

EO rank comments: FAIRLY LARGE POPULATION, HEAVILY GRAZED.

County: SILVER BOW

USGS quadrangle: WISE RIVER

Township: Range: Section: TRS comments:

001N

011W

15

NW4SW4

Precision: S

First observation: 1994-07-03

Slope/aspect: 5% / NORTH

Last observation: 1994-07-03

Size (acres): 2

#### Location:

FROM HWY 43 (CA. 2.3 MILES WEST OF WISE RIVER), TAKE PATTON CREEK ROAD NORTH CA. 2.5 MILES TO MAIN FORK IN ROAD. TAKE LEFT FORK UP HILL CA. 1.5 MILES TO SITE.

## Element occurrence data:

>500 PLANTS, DEVELOPING FLOWERS.

#### General site description:

DRY, OPEN, LOWER RESIDUAL MOUNTAIN SLOPE. QUARTZITE PARENT MATERIAL, SILTY SOIL. ASSOCIATED SPECIES: ARTEMISIA TRIDENTATA, POA PRATENSIS, KOELERIA CRESTATA, PENSTEMON PROCERUS, TARAXACUM OFFICINALIS, CHRYSOTHAMNUS VISCIDIFLORUS, ERIOGONUM UMBELLATUM, ANTENNARIA MICROPHYLLA.

## Land owner/manager:

BLM: BUTTE DISTRICT, HEADWATERS RESOURCE AREA

## Comments:

EVIDENCE OF PAST HEAVY GRAZING.

Information source: LESICA, PETER. DIVISION OF BIOLOGICAL SCIENCES,

UNIVERSITY OF MONTANA, MISSOULA, MT 59812.

Specimens: LESICA, P. (6354). 1994. MONTU.

Scientific Name: HAPLOPAPPUS MACRONEMA VAR LINEARIS

Common Name: LINEAR-LEAVED DISCOID GOLDENWEED

Global rank: G4T? Forest Service status: State rank: S2 Federal Status:

Element occurrence code: PDAST4F0U3.007

Element occurrence type:

Survey site name: PATTON GULCH

EO rank: C

EO rank comments: SMALL POPULATION WITH SOME DISTURBANCE FROM

LIVESTOCK GRAZING.

County: SILVER BOW

USGS quadrangle: WISE RIVER

Township: Range: Section: TRS comments:

001N 17 011W NE4 SW4; 20 SE4 NE4

Precision: S

 Survey date:
 1994-07-03
 Elevation:
 6240 - 6800

 First observation:
 1994-07-03
 Slope/aspect:
 20% / WEST

 Last observation:
 1994-07-03
 Size (acres):
 1

#### Location:

FROM WISE RIVER, TAKE HWY 43 TO PATTON CREEK ROAD. KEEP TO THE LEFT ON PATTON CREEK ROAD AND TRAVEL CA. 1.5 MILES TO SOUTHERN POPULATION AND CONTINUE CA. 1.5 MILES FARTHER TO NORTHERN POPULATION.

### Element occurrence data:

>100 PLANTS IN 2 SUBPOPULATIONS, IN FLOWER BUD. PROBABLY OTHER SUBPOPULATIONS IN THE AREA.

# General site description:

DRY, OPEN, UPPER RESIDUAL MOUNTAIN SLOPE. QUARTZITE PARENT MATERIAL, SILTY SOIL. ASSOCIATED SPECIES: ARTEMISIA TRIDENTATA, FESTUCA IDAHOENSIS, ANTENNARIA MICROPHYLLA, CASTILLEJA PALLESCENS, ARENARIA CAPILLARIS.

#### Land owner/manager:

BLM: BUTTE DISTRICT, HEADWATERS RESOURCE AREA

# Comments:

PLANTS SEEM TO OCCUR ALONG OLD ROADS. DISTURBANCE BY LIVESTOCK GRAZING.

Information source: LESICA, PETER. DIVISION OF BIOLOGICAL SCIENCES,

UNIVERSITY OF MONTANA, MISSOULA, MT 59812.

Scientific Name: HAPLOPAPPUS MACRONEMA VAR LINEARIS

Common Name: LINEAR-LEAVED DISCOID GOLDENWEED

Global rank: G4T? Forest Service status: State rank: S2 Federal Status:

Element occurrence code: PDAST4F0U3.008

Element occurrence type:

Survey site name: BIG HOLE RIVER

EO rank: C

EO rank comments: SMALL POPULATION WITH SOME GRAZING.

County: DEER LODGE

USGS quadrangle: LINCOLN GULCH

Township: Range: Section: TRS comments:

002N 012W 33 NW4

Precision: S

Survey date: 1994-07-04 Elevation: 5800 -

First observation: 1994-07-04 Slope/aspect: 15% / SW

Last observation: 1994-07-04 Size (acres): 1

Location:

FROM JUNCTION OF HWY 43 AND THE HIGHWAY TO ANACONDA, GO EAST ON HWY 43 0.5 MILE. SITE IS ALONG FENCELINE.

Element occurrence data:

50-100 PLANTS, FLOWERING.

General site description:

DRY, OPEN LOWER RESIDUAL MOUNTAIN SLOPE. QUARTZITE PARENT MATERIAL, SILTY SOIL. ASSOCIATED SPECIES: ARTEMISIA TRIDENTATA, AGROPYRON SPICATUM, FESTUCA IDAHOENSIS, LUPINUS LEUCOPHYLLUS, ERIOGONUM UMBELLATUM, LITHOSPERMUM RUDERALE.

Land owner/manager:

PRIVATELY OWNED LAND (INDIVIDUAL OR CORPORATE)
BLM: BUTTE DISTRICT, HEADWATERS RESOURCE AREA

Comments:

LIGHT LIVESTOCK GRAZING IN AREA.

Information source: LESICA, PETER. DIVISION OF BIOLOGICAL SCIENCES,

UNIVERSITY OF MONTANA, MISSOULA, MT 59812.

Scientific Name: HAPLOPAPPUS MACRONEMA VAR LINEARIS

Common Name: LINEAR-LEAVED DISCOID GOLDENWEED

Global rank: G4T? Forest Service status:

State rank: S2 Federal Status:

Element occurrence code: PDAST4F0U3.009

Element occurrence type:

Survey site name: BIG HOLE RIVER

EO rank: C

EO rank comments: SMALL POPULATION.

County: DEER LODGE

USGS quadrangle: PINE HILL

Township: Range: Section: TRS comments:

001N 013W 18 NE4

Precision: S

Survey date: 1994-07-04 Elevation: 5980 -

First observation: 1994-07-04 Slope/aspect: 20% / WEST

Last observation: 1994-07-04 Size (acres): 1

Location:

SITE IS ALONG BIG HOLE RIVER AT SAWLOG FISHING ACCESS CA. 2 MILES SOUTHWEST OF FISHTRAP ACCESS.

Element occurrence data:

>100 PLANTS, BEGINNING TO FLOWER.

General site description:

DRY, OPEN LOWER RESIDUAL MOUNTAIN SLOPE. SILTY SOIL. ASSOCIATED SPECIES: ARTEMISIA TRIDENTATA, CHRYSOTHAMNUS VISCIDIFLORUS, FESTUCA IDAHOENSIS, LUPINUS SERICEUS, ANTENNARIA MICROPHYLLA, ERIOGONUM UMBELLATUM.

Land owner/manager:

BLM: BUTTE DISTRICT, HEADWATERS RESOURCE AREA PRIVATELY OWNED LAND (INDIVIDUAL OR CORPORATE)

Comments:

DISTURBANCE BY RECREATION, SOME GRAZING, AND ROADS.

Information source: LESICA, PETER. DIVISION OF BIOLOGICAL SCIENCES,

UNIVERSITY OF MONTANA, MISSOULA, MT 59812.

Specimens: LESICA, P. (6361). 1994. MONTU.

Scientific Name: HAPLOPAPPUS MACRONEMA VAR LINEARIS

Common Name: LINEAR-LEAVED DISCOID GOLDENWEED

Global rank: G4T? Forest Service status: State rank: S2 Federal Status:

Element occurrence code: PDAST4F0U3.010

Element occurrence type:

Survey site name: BIGHOLE CREEK

EO rank: C

EO rank comments:

County: BEAVERHEAD

DEER LODGE

USGS quadrangle: PINE HILL

Township: Range: Section: TRS comments:

001N 014W 26 W2

Precision: S

Survey date: 1994-07-04 Elevation: 5950 - 6100 First observation: 1994-07-04 Slope/aspect: 5-10% / SW

Last observation: 1994-07-04 Size (acres): 5

Location:

SITES ARE NEAR MUDD CREEK BRIDGE OVER BIG HOLE RIVER ON HWY 93.

Element occurrence data:

>100 PLANTS IN AT LEAST 2 SUBPOPULATIONS, IN EARLY FLOWERING.

General site description:

DRY, OPEN, LOWER TO MID-RESIDUAL MOUNTAIN SLOPES, SILTY SOIL.
ASSOCIATED SPECIES: ARTEMISIA TRIDENTATA, CHRYSOTHAMNUS VISCIDIFLORUS,
FESTUCA IDAHOENSIS, LUPINUS SERICEUS, ANTENNARIA MICROPHYLLA,
ERIOGONUM UMBELLATUM.

Land owner/manager:

BLM: BUTTE DISTRICT, DILLON RESOURCE AREA

BLM: BUTTE DISTRICT, HEADWATERS RESOURCE AREA

Comments:

DISTURBANCE BY ROADS, GRAVEL PIT, AND LIVESTOCK GRAZING.

Information source: LESICA, PETER. DIVISION OF BIOLOGICAL SCIENCES,

UNIVERSITY OF MONTANA, MISSOULA, MT 59812.

Scientific Name: PENSTEMON LEMHIENSIS

Common Name: LEMHI BEARDTONGUE

Global rank: G3 Forest Service status: SENSITIVE

State rank: S2 Federal Status: C2

Element occurrence code: PDSCR1L3N0.058

Element occurrence type:

Survey site name: SAWLOG

EO rank: C

EO rank comments: SMALL POPULATION.

County: DEER LODGE

USGS quadrangle: PINE HILL

Township: Range: Section: TRS comments: 001N 013W 18 SE4; SE4NE4

Precision: S

Survey date: 1994-07-04 Elevation: 5850 - 5980

First observation: 1993-07-12 Slope/aspect: 10-60% / EAST, SOUTH

Last observation: 1994-07-04 Size (acres): 2

#### Location:

FROM WISDOM TRAVEL NORTH CA. 18 MILES ON HWY 43 TO MILE MARKER 45. POPULATION IS ON LEFT SIDE OF HIGHWAY AT SAWLOG FISHING ACCESS.

### Element occurrence data:

1993: 84 PLANTS, 90% FLOWERING, 10% VEGETATIVE. 2 SUBPOPULATIONS. 1994: NEW EASTERN SUBPOPULATION WITH CA. 20 PLANTS, 60% FLOWERING, 40% VEGETATIVE.

# General site description:

OPEN, DRY LOWERSLOPE BREAKLANDS. GRANITE PARENT MATERIAL, COARSE SANDY LOAM SOIL. ASSOCIATED SPECIES: AGROPYRON SPICATUM, CHRYSOTHAMNUS VISCIFLORUS, ARTEMISIA TRIDENTATA, ARTEMESIA FRIGIDA, ACHILLEA MILLEFOILUM, TRAGOPOGON DUBIUS, POLEMONIUM MICRANTHUM, ERIOGONUM CAPISTRATUM, ARENARIA CONGESTA, PINUS FLEXILIS, PSEUDOTSUGA MENZIESII, POA PRATENSIS, GALIUM BOREALE.

# Land owner/manager:

BLM: BUTTE DISTRICT, DILLON RESOURCE AREA BEAVERHEAD NATIONAL FOREST, WISDOM RANGER DISTRICT

### Comments:

OBSERVED BY QUINN CARVER IN 1993. DISTURBANCE BY ROADCUT. 1990 INTERAGENCY MAP SHOWS SITE UNDER BLM OWNERSHIP; USFS OWNERSHIP INDICATED BY OBSERVER. 1994: DISTURBANCE BY RIVER, ROAD ABOVE SITE, AND FISHERMEN WALKING THROUGH.

Information source: LESICA, PETER. DIVISION OF BIOLOGICAL SCIENCES,

UNIVERSITY OF MONTANA, MISSOULA, MT 59812.

Specimens: LESICA, P. (6358). 1994. MONTU.